MONGOSE SEWER EQUIPMENT



FULL LINE CATALOG

BEST PRODUCTS, BEST LOCAL SUPPORT



Sewer Equipment's Mongoose Jetters Model 123 is one of this brand's best selling units. With reliable features such as the Mongoose Run Dry Pump at 12 gpm @ 3000 psi, tubular steel frame, corrosion resistant pre-painted sub assemblies, state of the art controls, strong hose reel and high quality gas engine, this machine will return more on your investment than anything in its class.





Model 123-V

Model 123-V

Pump: 12 GPM @ 3,000 PSI

Chassis Spec: For truck and van configurations, contact your Regional Sales Manager for more information

Tank Capacity: 150-200 Gallons

Pump: 12 GPM @ 3,000 PSI

Engine: 24 hp Gas Minimum

Hose Reel: 3/8" Hose, 250' Capacity

Axle: 3,500# (single axle trailer)

3 Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote **Features:**

Drain Cleaning, Main Lines up to 8", Remote Access Locations, Commercial Lines, **Applications:**

Industrial Lines, and More



Model 123-T



Model 123-TK

TRUCKS AND TRAILERS



Sewer Equipment's Mongoose Jetters Model 184 Series is one of this brand's best selling units. With reliable features such as the Mongoose Run Dry Pump at 18 gpm @ 4000 psi, tubular steel frame, corrosion resistant pre-painted sub assemblies, state of the art controls, strong hose reel and high quality diesel engine, this machine will return more on your investment than anything in its class.



Model:	184-ULT
Tank Capacity:	300 Gallons
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity
Axle:	7,000# (single)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commercial Lines, Industrial Lines and More



Model:	184-LT
Tank Capacity:	300 Gallons
Pump:	18 GPM @ 4,000 PSI
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine
Hose Reel:	1/2" Hose, 600' Capacity
Axle:	7000# (single)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commercial Lines, Industrial Lines and More

BEST PRODUCTS, BEST LOCAL SUPPORT







Model 184XL-HD

Model:	184-HD and 184XL-HD					
Tank Capacity:	300-600 Gallons					
Pump:	18 GPM @ 4,000 PSI					
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine					
Hose Reel:	1/2" Hose, 600' Capacity *1000' Capacity and Dual Reel Options Available					
Axle:	7000# (single), 9,900# (dual)					
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote					
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commercial Lines, Industrial Lines and More					





Model 184-HD-TK

Model 184-HD-ETK

Model:	184-HD-TK, 184XL-HD-TK, 184-HD-ETKS, 184-HD-ETK, 184XL-HD-ETK, 184-HD-VR					
Tank Capacity:	200-600 Gallons *Capacity may be limited by truck model.					
Pump:	18 GPM @ 4,000 PSI					
Engine:	Minimum 49 hp Tier IV Turbo Diesel Engine					
Hose Reel:	1/2" Hose, 600' Capacity *1000' Capacity and Dual Reel Options Available					
Chassis Spec:	Contact your representative for more information					
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Available with Wireless Remote					
Applications:	Drain Cleaning, Main Lines up to 12", Remote Access Locations, Commercial Lines, Industrial Lines and More					

TRUCKS AND TRAILERS



Sewer Equipment's Mongoose Jetters Model 254-HD is one of this brand's best selling units. With reliable features such as the Mongoose Run Dry Pump at 25 gpm @ 4000 psi, tubular steel frame, corrosion resistant pre-painted sub assemblies, state of the art controls, strong hose reel and high quality diesel engine, this machine will return more on your investment than anything in its class.





Model 254XL-HD

Model:	254-HD and 254XL-HD
Tank Capacity:	300-600 Gallons
Pump:	25 GPM @ 4,000 PSI
Engine:	74 hp Tier IV Turbo Diesel Engine
Hose Reel:	5/8" Hose, 500' Capacity *800' Capacity and Dual Reel Options Available
Axle:	7000# (single), 9,900# (dual)
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Towable with Water, Available with Wireless Remote
Applications:	Drain Cleaning, Main Lines up to 24", Remote Access Locations, Commercial Lines, Industrial Lines and More





Model 254XL-HD-TK

Model 254-HD-ETK

Model:	254-HD-TK, 254XL-HD-TK, 254-HD-ETK, 254XL-HD-TK					
Tank Capacity:	300-600 Gallons					
Pump:	25 GPM @ 4,000 PSI					
Engine:	74 hp Tier IV Turbo Diesel Engine					
Hose Reel:	5/8" Hose, 500' Capacity *800' Capacity and Dual Reel Options Available					
Chassis Spec:	Contact your representative for more information					
Features:	5 Cylinder Plunger Run Dry Pump, Nema 4 Control Box, Available with Wireless Remote					
Applications:	Drain Cleaning, Main Lines up to 24", Remote Access Locations, Commercial Lines, Industrial Lines and More					

BEST PRODUCTS, BEST LOCAL SUPPORT

	Ş.	7,73	, J , gA	,UIT 184	,t1 \180	, HD 754.1
Engine				ĺ	ĺ	
24hp Air Cooled Gas Engine	S	S				
49hp Kohler Diesel Engine			S	S	S	
56hp Kohler Diesel Engine w/ HD Cooling				0	0	
74hp Kohler Diesel Engine w/ HD Cooling						S
Engine Safety Guarding	S	S	S	S	S	S
Partial Painted Steel Enclosure			0	S		
Removable Aluminum Enclosure				0	S	S
Plastic Fuel Tank - 5 Gallons	S	S				
Plastic Fuel Tank - 16 Gallons			S	S		
Aluminum Fuel Tank - 16 Gallons					S	S
Extra Fuel Capacity - 32 Gallons total					0	0
Hydraulic Pressure Gauge					0	0
Pump						
Udor 12@3000	S	S		<u> </u>		
Udor 18@4000		_	S	S	S	
Udor 25@4000				<u> </u>		S
Electronic Water On/Off Control	0	0	S	S	S	S
Water Bypass Valve	S	S	0	S	S	S
Water Pump Pulsation Valves	S	S	0	S	S	S
Air Purge System	S	S	S	S	S	S
Washdown w/ 25' detachable hose	+ -			ا ا	0	0
Water Heater 400,000 BTU					0	0
Water Tank and Fill					<u> </u>	
150 gal SuperPoly	S					
200 gal Duraprolene	+ -	S				
300 gal SuperPoly		,	S	S	S	S
300 gal Duraprolene			3	3	0	0
600 gal SuperPoly					S-XL	S-XL
600 gal Duraprolene					O-XL	O-XL
2-1/2 Fill System			0	S	S	S
Fill Hose Storage Bracket			0	0	0	0
100' Garden Hose Fill Mounted	0	0		0	0	0
Garden Hose Port/Adapter	S	S	S	S	S	S
Winterization 8 Gallon Plastic Tank	0	,	,	0		
Winterization 9 Gallon Integrated Tank	+ -	0		⊢ Ŭ		
Winterization 16 Gallon Aluminum Tank					0	0
Hose Reel and Hose					<u> </u>	
Fixed Reel	S	S	S			
Pivoting Reel	1 ,	,	3	S		
Swivel Reel					S	S
250'-3/8" Capacity Hose Reel w/Elec Rewind	S	S				
. ,	0	3				
400'-3/8" Capacity Hose Reel w/Elec Rewind 600'-1/2" Capacity Hose Reel	+		S	S	S	
· ·	+		3	, ,	, ,	S
500'-5/8" Capacity Hose Reel	+				0	3
1000'-1/2" Capacity Hose Reel	+					0
800' -5/8" Capacity Hose Reel	+				0	
600'-1/2" & 500-3/8" Dual Reel 500'-5/8" & 500-3/8" Dual Reel	+				"	0
	+					
Footage Counter	+			0	0	0
Smart Counter				<u> </u>	0	0

*For a complete options comparison list, please contact your sales representative.

TRUCKS AND TRAILERS

		st /22	١/ ١	jit /	\$ /.	, dix
	N.		, / 🚧	* / \%'	, \ '8,	1/25/
Pendant/Electrical						
No Pendant	S	S	S	S	S	S
Wireless Pendant				0		
Wireless Pendant w/Retrieve Only	0	0				
Wireless Pendant w/ Payout/Retrieve					0	0
Pressure Precision Control				S	S	S
Water Pressure Pendant Display				S	S	S
12V Outlet			S	S	S	S
LED Strobe Light	0		0	S	S	S
LED Flood Light			0	0	0	0
LED Arrow Stick	+				0	0
Hand-Held Wireless Spotlight					0	0
Trailer Options						
Single Torsion 3,500lb Axle	S					
Single Torsion 7,000lb Axle			S	S	S	S
Tandem Torsion 7,000lb Axles	+			<u> </u>	S-XL	S-XL
Electric Brakes	S		S	S	S	S
Hydraulic Brakes (Surge Brakes)	+				0	0
Swivel Jack w/ Wheel	S		S	S	S	S
Swivel Jack w/ Footpad	+				S-XL	S-XL
Curbside Front Open Aluminum Toolbox	+		0	S	S	S
Roadside Front Open Aluminum Toolbox	_			0	0	0
Curbside Front Open 88" Aluminum Toolbox	+				O-XL	O-XL
Roadside Front Open 88" Aluminum Toolbox	+				O-XL	O-XL
Steel Jeep Style Fenders	S					
Steel Round Fenders	+		S	S	S	S
Steel Box Fenders	+				0	0
Steel Tandem Round Fenders	+				S-XL	S-XL
Aluminum Fender Guards	+				0	0
Aluminum Rock Guard	0					
Spare Tire Mounted	+				0	0
Cone Holder and Cones					0	0
Manuals						-
USB Manual	S	S	S	S	S	S
Paper Manual			0	0	0	0
Training			_		_	
Sewer University Customer Location	0	0	0	0	0	0
Accessories	-	-	0	0	0	\vdash
	S	S	S	S	S	S
Flushing Nozzle Penetrating Nozzle	S	S	S	S	S	S
Warthog WT Nozzle	0	0	0	0	0	0
Warthog WS Nozzle	$+$ $\overset{\circ}{-}$		0	0	0	0
Warthog WH Nozzle	+		0	0	0	0
10' Leader Hose	+		S	S	S	S
Finned Nozzle Extension	+		S	S	S	S
Manual Levelwind	+		S	S	S	S
Nozzle Rack	S	S	S	S	S	S
BB Hose Guide	0	0	0	S	S	S
Upstream Pulley Guide	0	0	0	0	0	0
Air Purge Adapter	S	S	S	S	S	S
2-1/2" x 25' Fill Hose	+ -	1	0	0	0	0
High Efficiency Dump Gun	+		0	0	0	0
1/8" Mini Drain Kit Mounted	+	1	0	0	0	0
1/4" Mini Drain Kit Mounted	+-	1	0	0	0	0
3/8" Drain Cart Mounted	+		۲	0	0	0
1/8" Mini Drain Kit Shipped Loose	0	0		١Ť	Ť	Η̈́Η
1/4" Mini Drain Kit Shipped Loose	0	0				$\vdash \vdash$
						ш

*For a complete options comparison list, please contact your sales representative.

Part No. 92737-01-S, revised 01/23 Contents are copyrighted by Sewer Equipment Company of America Products subject to change without notification.

Actual products may not be an exact match to product as shown. 800.323.1604 www.sewerequipment.com